



PC-Connectable shipping and barcode label printer QL-1100c







CONTINUOUS ROLL

PRE-SIZED LABELS

PC CONNECTION

brother.co.uk/QL1100c

PC-Connectable shipping and barcode label printer

The Brother QL-1100c is a high-speed label printer engineered to print up to 4" wide labels. This business-quality label printer lets you create cost-effective paper adhesive labels for packages, envelopes, postage and more.

QL-1100c



Key Features:

- Print labels up to 103.6mm wide and at up to 110mm/second print speed
- USB connectivity for PC and Mac
- Supports printing of FBA (Fulfilled By Amazon) labels through a special PDF crop print function
- Built-in cutter to create your own length labels using unique continuous rolls
- Windows SDK (Software Development Kit) available to add label printing to your own apps
- Perfect for safety signage
- Microsoft office integration make light work of large address labelling jobs with the ability to connect to a PC or Mac

Your home office business partner

Featuring a 4 inch width (101.6mm) print head, the QL-1100 offers maximum compatibility with third party shipping label software packages from couriers and parcel delivery companies.

And for sellers who use the Fulfilled by Amazon (FBA) service, the "crop-print" feature enables you to print multiple barcode labels contained in the PDF generated by your Fulfilled by Amazon account. The driver detects, extracts and prints each individual label to the QL-1100 automatically, making it easy to mark up your items to be shipped to Amazon.

Mounted on a special roll guide, Brother DK labels are easy to install and the guide ensures that each label is printed straight. Brother QL labellers are also intuitive, they recognise the size of the label installed and display this on P-touch Editor, ensuring any label prints exactly as expected.



Included items

Printer
DK-11247 - Large shipping
pre-sized labels (41 labels)
DK-22205 - 62mm width
continuous roll (8.1 metres)

USB cable AC power cord Documentation

Printing / Media

Printing technology

Direct thermal

Print resolution

1300 x 300dpi

Maximum print speed*

69 standard address labels per minute or 110mm per second*

Label widths

12mm - 103.6mm

Maximum print width

101.6mm

Minimum label length

25.4mm

Maximum label length

3 metres (Windows / MacOS) 1 metre (P-touch Editor Lite / iPrint&Label)** Media sensor type

Reflective

Cutter

Yes (full cut / guillotine type)

Media types

DK rolls (DK pre-sized labels / DK continuous tape)

Control panel

Buttons

Power / Feed / Cut / P-touch Editor Lite

Connectivity

USB

USB version 2.0 full-speed

(type B)

Memory

Flash (for label templates)

7.8MB

Locations

(for label templates)

96

Power

ower

220-240V AC internal power supply

Energy Star Certification

Yes

Auto sleep mode

Yes

Weights / Dimensions

Dimensions

170 (w) x 222 (d) x 151 (h) mm

Weight

1.71kg

Software / Firmware

Operating system support

Windows: 7, 8, 8.1, 10, 11, Server 2008, 2008 R2, 2012, 2012 R2, 2016, 2019, 2022 Mac:

10.11, 10.12, 10.13, 10.14, 10.15, 11, 12

Label editor support

P-touch Editor (Windows/Mac) Add-In for Microsoft Word/ Excel/Outlook P-touch Editor Lite (Windows) iPrint&Label (Android only using USB cable)

Supported printer commands

ESC/P P-touch Template Raster

Label crop and print

(convert A4 sheets of labels to individual labels automatically). Yes (Windows only)

Barcode symbologies

(using P-touch Editor for Windows) CODE39, CODE128, UCC/ EAN128(GS1-128), ITF(I-2/5), CODABAR(NW-7), UPC-A, UPC-E, EAN13, EAN8, ISBN-2 (EAN13 AddOn2), ISBN-5 (EAN13 AddOn5), Laser Barcode, POSTNET, RSS(RSS14 Standard, RSS14 Truncated, RSS14 Stacked, RSS14 Stacked Omni, RSS Limited, RSS Expanded, RSS Expanded Stacked), AztecCode, PDF417 (Standard, Truncate, Micro), QR code (Model1, Model2, Micro), Data Matrix (ECC Square, ECC Rectangular), MaxiCode (Model2, Model3, Model4, Model5), IMB

Barcode symbologies

(using P-touch Editor for Mac) CODE39, CODE128, UCC/ EAN128(GS1-128), ITF(I-2/5), CODABAR(NW-7), UPC-A, UPC-E, EAN13, EAN8, ISBN-2(EAN13 AddOn2), ISBN-5(EAN13 AddOn5), Laser Barcode, POSTNET, RSS(RSS14 Standard, RSS14 Truncated, RSS14 Stacked, RSS14 Stacked Omni, RSS Limited, RSS Expanded, RSS Expanded Stacked), PDF417 (Standard, Truncate, Micro), QR code (Model1, Model2, Micro), Data Matrix (ECC Square, ECC Rectangular), MaxiCode (Model2, Model3, Model4, Model5), IMB

Barcode symbologies

(Built-in printer firmware) CODE39, CODE128, UCC/ EAN128(GS1-128), ITF(I-2/5), CODABAR(NW-7), UPC-A, UPC-E, EAN13, EAN8, ISBN-2(EAN13 AddOn2), ISBN-5(EAN13 AddOn5), Laser Barcode, POSTNET, RSS (RSS14 Standard, RSS14 Truncated, RSS14 Stacked, RSS14 Stacked Omni, RSS Limited, RSS Expanded, RSS Expanded Stacked), PDF417 (Standard, Truncate, Micro), QR code(Model1, Model2, Micro), Data Matrix (ECC Square, ECC Rectangular), MaxiCode (Model2, Model3, Model4, Model5), IMB

Internal fonts

Bitmap fonts: Helsinki, Brussels, Letter Gothic Bold, San Diego, Brougham. Bitmap font sizes: 24 dots, 32 dots, 48 dots. Outline fonts: Helsinki, Brussels, Letter Gothic. Outline font sizes: 33 dots - 400 dots (22 sizes)



Working with you for a better environment

At Brother, our green initiative is simple. We strive to take responsibility, act respectfully and try to make a positive difference to help build a society where sustainable development can be achieved. We call this approach Brother Earth.

www.brotherearth.com

All specifications correct at the time of printing and are subject to change. Brother is a registered trademark of Brother Industries Ltd. Brand product names are registered trademarks or trademarks of their respective companies.



^{*} Brother standard test environment. Using DK-11201 standard address labels and USB connection.

^{**} Using USB connection through P-touch Editor